

FPV VTX & VRX

7-9GHz VTX & VRX

Item	Model	Photo	Frequency Range	RF Power	Channel	Power Supply	Weight	Dimension
VTX	AL8910		8020-8800 MHz	10W (PIT/2.5W/5W/7W/10W)	40 CH	12-36V	37g	66*36*16mm; 20*20mm(hole)
VTX	AL7810		7200-8000 MHz	10W (PIT/2.5W/5W/7W/10W)	40 CH	12-36V	37g	66*36*16mm; 20*20mm(hole)
VTX	AL7804		7000-8210MHz	4W (200mW/2W/4W)	56 CH	16-30V	29g	36*48*15mm
VRX	VRX-8200		6100-8210MHz	Sensitivity: -95dBm	120 CH	7-24V	16.8g	77.5*52*14mm

6.1-7.2GHz VTX & VRX

Item	Model	Photo	Frequency Range	RF Power	Channel	Power Supply	Weight	Dimension
VTX	AL7210		6100-7200MHz	10W (PIT/1W/2.5W/5W/7.5W/10W)	64 CH	7-36V	48g	66*37*16mm; 20*20mm (hole)
VTX	AL6710		6100-7200MHz	10W (PIT/2.5W/5W/7W/10W)	64 CH	12-36V	37g	66*36*16mm; 20*20mm(hole)
VTX	ALV3000AC		6100-7200MHz	3W (25mW/2.5W/3W)	64 CH	12-36V	25.85g	53*28.8*16mm
VRX	VRX-75D		6100-7200MHz	Sensitivity: -95dBm	64 CH	5-36V	15.3g	47*27*30.5mm
VRX	VRX-75DF		6100-7200MHz	Sensitivity: -95dBm	64 CH	5-36V	16.8g	47*30*21.2mm

4.8-6.1GHz VTX & VRX

Item	Model	Photo	Frequency Range	RF Power	Channel	Power Supply	Weight	Dimension
VTX	AL5810		4990-5945MHz	10W (PIT/1W/2.5W/5W/7.5W/10W)	80 CH	7-36V	48g	66*36*16mm; 20*20mm (hole)
VTX	ALPHA 5810		4990-5945MHz	10W (PIT/2.5W/5W/7W/10W)	80 CH	12-36V	48g	68*36*15mm; 30.5*30.5mm (hole)
VTX	AL5805		4875-6060MHz	5W (PIT/25mW/1W/3W/5W)	96 CH	7-36V	25.3g	44*28.6*14.7 mm
VTX	AL5804		4875-6060MHz	4W (PIT/25mW/1W/3W/4W)	96 CH	12-36V	35g	44*29*16mm
VTX	ALVT2.5W		4884-6055MHz	2.5W (25mW 400mW 800mW 1500mW 2500mW)	64 CH	7-36V	16g	38*36*7mm
VRX	KP-R4861		4867MHz-6060MHz	Sensitivity: 95dBm	112 CH	7-36V	14.2g	44*27*10mm

3.7-4.3GHz VTX & VRX

Item	Model	Photo	Frequency Range	RF Power	Channel	Power Supply	Weight	Dimension
VTX	AL4210 PRO		3700-4320MHz	10W (PIT/1W/2.5W/5W/7.5W/10W)	32 CH	7-36V	48g	66*37*16mm; 20*20mm(hole)
VTX	AL4210		3700-4320MHz	10W (PIT/2.5W/5W/7W/10W)	32 CH	12-36V	37g	66*36*16mm; 20*20mm (hole)
VTX	AL4205		3700-4320MHz	5W (Pit/25mW/2W/5W)	32 CH	7-36V	25.3g	44*28.6*14.7 mm
VRX	RX3743		3700-4320MHz	Sensitivity: 95dBm	32 CH	3-6V	12.5 g	70*26*13 mm










3.3GHz VTX & VRX

Item	Model	Photo	Frequency Range	RF Power	Channel	Power Supply	Weight	Dimension
VTX	AL3310		3060-3840MHz	10W (PIT/2.5W/5W/7W/10W)	80 CH	12-36V	37g	66*36*16mm; 20*20mm (hole)
VTX	AL3306		3170-3470MHz	6W (PIT/25mW/1W/3W/6W)	16 CH	7-36V	25.3g	44*28.6*14.7 mm
VTX	AL3304		3170-3470MHz	4W (PIT/25mW/200mW/1W/4W)	16 CH	7-36V	25.3g	44*28.6*14.7 mm
VTX	AL3304 PRO		3060MHz-3840MHz	5W (Pit/2W/5W)	80 CH	12-36V	35g	44*29*16mm
VRX	VRX-3301		3060-3500MHz	Sensitivity: -95dBm	64 CH	5-36V	15.3g	46*27*30.5mm
VRX	KP-VRX02		3060-3840MHz	Sensitivity: -97dBm	80 CH	7-28V	20.5g	48*27*20mm

1.2GHz / 1.3GHz VTX & VRX

Item	Model	Photo	Frequency Range	RF Power	Channel	Power Supply	Weight	Dimension
VTX	AL1210		1080-1380MHz	10W (PIT/2.5W/5W/7W/10W)	16 CH	12-36V	37g	66*36*16mm; 20*20mm (hole)
VTX	AL1306		1080-1360MHz	6W (PIT/25mW/200mW/1W/6W)	16 CH	7-36V	25.3g	44*28.6*14.7 mm
VTX	AL1304		1080-1360MHz	4W (PIT/25mW/200mW/1W/4W)	16 CH	7-36V	25.3g	44*28.6*14.7 mm
VRX	KP-R12G		1080-1360MHz	Sensitivity: -95dBm	9 CH	7~36V	20g	44*27*27mm

Modules

Item	Model	Photo	Frequency Range	RF Power		Power Supply	Weight	Dimension
VRX Module	RX8200		6000-8260MHz	/	RSSI SPI	DC 5V	4.5g	28*23*3.5mm
VRX Module	RX7500		6000-7500MHz	/	RSSI SPI	DC 5V	4.5g	28*23*3.5mm
VRX Module	RX5808		5645-5945 MHz	with audio	SPI	DC 5V	4.5g	28*23*3.5mm
VRX Module	RX5808A		5645-5945 MHz	without audio	SPI	DC 5V	4.5g	28*23*3.5mm
VRX Module	MM238RW(V1.0)		5.8 GHz	without audio	SPI	DC 5V	4.5g	28*23*3.5 mm
VRX Module	SK3500-SPI(V1.1)		3100-3800 MHz	/	RSSI SPI	DC 5V	5.2g	37*26.3*4.5mm
VRX Module	RX3364 PRO		3060-3500 MHz	/	RSSI	DC 5V	4.5g	37*26.3*4.5mm
VRX Module	SM333R		3170-3470 MHz		RSSI SPI	DC 5V	5.8g	37*26.3*4.3mm
VRX Module	RX1264		1080-2200 MHz	/	/	DC 5V	4.5g	28*23*3.5mm
VRX Module	SK1200-SPI		1080-2360 MHz	/	RSSI SPI	DC 5V	5.7g	37*26.3*4.5mm
VRX Module	VM1373R		1080-1840 MHz	/	RSSI SPI	DC 5V	5.8g	37*26.3*4.3mm
VTX Module	TX5813		5645-5945 MHz	10dBm~20dBm	SPI	DC 5V	2.5g	22*19*3mm
VTX Module	TX5823S		5645-5945 MHz	19dBm~21dBm	SPI	DC 5V	2.5g	22*19*3mm